

# Outstanding Printing Power

Designed for the large workgroup or busy department the ECOSYS P3260dn puts high productivity on your desktop. Its 60 pages per minute print speed, fast first print time of just 4.5 seconds and paper input that can be expanded to 2,600 sheets means you can print more and do so faster. A long-life image drum, 40,000 page toner and enhanced power management keep total cost of ownership and environmental impact exceptionally low.



**ECOSYS P3260dn**



**A4 Monochrome printer**

**60 ppm for A4**

**1200 x 1200 dpi resolution**

A4

## Specifications

### GENERAL

KYOCERA ECOSYS Laser Monochrome Printer

**Operation panel:** 5 line LCD back lit display with alphanumeric keypad

**Engine speed (pages per minute):** Up to 60 pages A4 per minute in black and white.

Duplex print speed: up to 43 page per minute A4

**Duty Cycle:**

Maximum: 300,000 pages per month

Maximum average: 27,500 pages per month

Average: 20,000 pages per month

**Resolution:** 1,200 x 1,200 dpi

**Warm-up time:** Approx. 25 seconds or less from power on.

**Time to first page:** Approx. 4.5 sec. or less.

**CPU:** ARM Cortex-A9 Dual core 1.2 GHz

(+ ARM Cortex-M3 100MHz)

**Memory:** Standard 512 MB RAM, Max. 2.5GB + 128GB SSD

**Standard interfaces:** Standard interface: USB 2.0 (Hi-Speed), 2 x USB Host Interface, Gigabit Ethernet (10BaseT/100BaseTX/1000BaseT), optional Wi-Fi (IEEE 802.11b/g/n), 1 eKUIO slot for optional internal print server or SSD hard disc, Slot for optional SD/SDHC Card.

**Integrated accounting:** 100 department codes  
Dimensions (W x D x H): 416 x 410 x 363 mm.

**Weight:** Main unit approx. 15.2 kg.

**Power source:** AC 220 ~ 240 V, 50/60 Hz

**Power consumption**

Print - mode: 721 W

Ready mode: 11 W

Sleep mode: 0.7 W

**Noise (Sound pressure level ISO 7779/ measurement distance of 1 meter)**

Stand by mode: 25.8 dB(A)

Printing: 56 dB(A)

**Safety standards:** TÜV/GS, CE; This unit is manufactured according to ISO 9001 quality standard and ISO 14001 environmental standard.

### PAPER HANDLING

All paper capacities quoted are based on paper thickness of max. 0.11 mm. Please use paper recommended by Kyocera under normal environmental conditions.

**Input capacity:** 100-sheet multi-purpose tray, 60 – 220 g/m<sup>2</sup>, A4, A5, A6, B5, Letter, Legal, Folio, Custom (70 x 148 to 216 x 356 mm), Banner paper up to 915 mm.

**Standard universal paper cassette:** 500 sheet,

60–120 g/m<sup>2</sup>, A4, A5, A6, B5, Letter, Legal,

Folio, Custom (105 x 148 to 216 x 356 mm). Max.

input capacity with options: 2,600 sheets

**Duplex functionality as standard:** Double sided

printing: A4, A5, B5, Letter, Legal, Custom (140

x 210 mm - 216 x 356 mm) 60–120 g/m<sup>2</sup>

**Output capacity:** 500-sheet-face-down

with paper full sensor and optional

250-sheet-face-up with PT-320.

### PRINT FUNCTIONS

**Controller language:** PRESCRIBE

**Emulations:** PCL6 (5c/XL), KPDL3 (PostScript 3 compatible),

PDF Direct Print, XPS Direct Print and Open XPS.

**Operating systems:** All current Windows operating systems, MAC OS X Version 10.9 or higher, UNIX LINUX, as well as other operating systems on request.

**Fonts/barcodes:** 93 outline fonts (PCL6/KPDL 3), 8 fonts (Windows), 1 Bitmap font, 45 types of one-dimensional barcodes, 1 type of two-dimensional barcode (PDF417)

**Print features:** PDF Direct Print, IPP printing,

e-mail printing, WSD print, secure printing via SSL,

IPsec, SNMPv3, Encrypted PDF Direct Print.

**Mobile printing support:** KYOCERA Mobile

Print app for iOS and Android; Mopria, Google

Cloud Print, Airprint, Direct Wi-Fi (opt).

### CONSUMABLES

Average continuous toner yield in accordance with ISO/IEC 19752.

**TK-3200 Toner Kit:** Microfine toner

black for 40,000 pages A4

Capacity of starter toner is 11,000 pages A4

### OPTIONS

**PF-310 Paper feeder (max. 4 units):** Max. 500 sheets, 60 – 120 g/m<sup>2</sup>; A4, A5, B5, Letter, Legal, Custom (148 x 210 mm - 216 x 356 mm)

**PF-3100 Bulk paper feeder and PB-325 Printer base:** Max. 2,000 sheets, 60 – 120 g/m<sup>2</sup>; not to be combined with PF-320

**CB-360W Cabinet:** Wooden desk with storage

capacity, Approx. 380 x 411 x 508 mm (WxDxH)

**CB-365W Cabinet:** Wooden desk with storage

capacity, Approx. 380 x 411 x 350 mm (WxDxH)

**CA-3100:** Caster stand

**PT-320 Paper tray:** 250-sheet face-up output tray

**Memory upgrade:** MD3-1024, MDDR3-2G, DDR3, 1GB/2GB

**Storage Devices:** HD-6 SSD hard disk: 32GB and HD-7

SSD hard disk: 128 GB for easy document management.

Embedded data encryption and data overwrite (DSK)

when optional SSD, HD-6 or HD-7 are installed

**UG-33:** ThinPrint support

USB IC Card Reader + Card Authentication Kit (B):

Support for various authentication keys available

**Optional interface:**

IB-50: Gigabit Ethernet:

10BaseT/100BaseTX/1000BaseT (RJ45).

IB-51: Wireless LAN (802.11b/g/n).

IB-36: Wireless LAN (802.11b/g/n) with Wi-Fi Direct.

IB-32B: IEEE1284 interface.

### WARRANTY

2-years warranty as standard Kyocera guarantees the drum and developer for 3 years or 500,000 pages (whichever occurs sooner), provided each device is used and cleaned in accordance with the service instructions.

### KYOLife

Up to 5-year on-site warranty extensions available for product and options.

ECOSYS stands for ECOlogy, ECONomy and SYStem printing. With long-life components, ECOSYS devices maximise durability and minimise total cost of ownership. The cartridge-free system means that you only need toner. The modular design concept allows workflow enhancing functions while integrated system software provides crossnetwork compatibility. This product is compliant with Energy Star.



**KYOCERA Document Solutions Partner**

SEPTEMBER2019DSECOSSYP3260DN/VER2UK

KYOCERA Document Solutions (UK) Ltd  
Eldon Court, 75-77 London Road, Reading RG1 5BS  
Tel; 0118 931 1500 – Fax: 0118 931 1108



[kyoceradocumentsolutions.co.uk](http://kyoceradocumentsolutions.co.uk)

Kyocera Document Solutions does not warrant that any specifications mentioned will be error-free. Specifications are subject to change without notice. Information is correct at time of going to press. All other brand and product names may be registered trademarks or trademarks of their respective holders and are hereby acknowledged.